

1/4

A.P. MAHOROWALA
YOR920000789US1

10/18/02
J1060 U.S. PTO





FIG.1A



J1060 U.S. PTO
10/18/02





FIG. 2A





RECEIVED
OCT 18 2002
TRADE MARK OFFICE




FIG. 3

J1060 U.S. PTO
10/18/02

4/4
YOR920000789US1





FIG.4A





1756

Docket No.: 20140-00272-US
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#3

In re Patent Application of:
Arpan P. Mahorowala

Conf. No.: 9522

Application No.: 09/902,728

Group Art Unit: N/A

Filed: July 12, 2001

Examiner: Not Yet Assigned

For: METHOD TO PREVENT PATTERN
COLLAPSE IN FEATURES ETCHED IN
SULFUR DIOXIDE-CONTAINING PLASMASSUBMISSION OF FORMAL DRAWINGSCommissioner for Patents
Washington, DC 20231

Dear Sir:

Applicants submit herewith 4 sheets of formal drawings of Figs. 1A-1B, 2A-2B, 3 and 4A-4B.

Dated: October 18, 2002

Respectfully submitted,

By

John A. Evans

Registration No.: 44,100
CONNOLLY BOVE LODGE & HUTZ, LLP
1990 M Street, N.W., Suite 800
Washington, DC 20036-3425(202) 331-7111
(202) 293-6229 (Fax)
Attorneys for ApplicantRECEIVED
OCT 22 2002
TC 1700